

POLICY NUMBER UM ONC_1215	SUBJECT Treanda/Bendeka/Belrapzo™ (bendamustine)		DEPT/PROGRAM UM Dept	PAGE 1 OF 2
DATES COMMITTEE REVIEWED 09/12/12, 02/12/14, 12/17/15, 12/14/17, 03/14/18, 03/07/19, 04/10/19, 12/11/19, 04/08/20	APPROVAL DATE April 8, 2020	EFFECTIVE DATE April 24, 2020	COMMITTEE APPROVAL DATES (latest version listed last) 09/12/12, 02/12/14, 12/17/15, 12/14/17, 03/14/18, 03/07/19, 04/10/19, 12/11/19, 04/08/20	
PRIMARY BUSINESS OWNER: UM APPROVED BY: Dr. Andrew Hertler		COMMITTEE/BOARD APPROVAL Utilization Management Committee		
URAC STANDARDS HUM 1	NCQA STANDARDS UM 2		ADDITIONAL AREAS OF IMPACT	
CMS REQUIREMENTS	STATE/FEDERAL REQUIREMENTS		APPLICABLE LINES OF BUSINESS Commercial, Exchange, Medicaid	

I. PURPOSE

To define and describe the accepted indications for Treanda/Bendeka/Belrapzo (bendamustine) usage in the treatment of cancer, including FDA approved indications, and off-label indications.

New Century is responsible for processing all medication requests from network ordering providers. Medications not authorized by New Century may be deemed as not approvable and therefore not reimbursable.

The use of this drug must be supported by one of the following: FDA approved product labeling, CMS-approved compendia, National Comprehensive Cancer Network (NCCN), American Society of Clinical Oncology (ASCO) clinical guidelines, or peer-reviewed literature that meets the requirements of the CMS Medicare Benefit Policy Manual Chapter 15.

II. INDICATIONS FOR USE/INCLUSION CRITERIA

1. PREFERRED MEDICATION GUIDANCE FOR INITIAL REQUEST:

- a. When health plan Medicaid coverage provisions- including any applicable PDLs (Preferred Drug Lists)- conflict with the coverage provisions in this drug policy, health plan Medicaid coverage provisions take precedence per the **Preferred Drug Guidelines OR**
- b. When health plan Exchange coverage provisions- including any applicable PDLs (Preferred Drug Lists)- conflict with the coverage provisions in this drug policy, health plan Exchange coverage provisions take precedence per the **Preferred Drug Guidelines OR**
- c. For Health Plans that utilize NCH UM Oncology Clinical Policies as the initial clinical criteria, the **Preferred Drug Guidelines shall follow NCH L1 Pathways** when applicable, otherwise shall follow NCH drug policies: <http://pathways.newcenturyhealth.com> **AND**
- d. Continuation requests of previously approved non-preferred medication are not subject to this provision **AND**
- e. When available, generic alternatives are preferred over brand-name drugs.

2. Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma

- a. In combination with rituximab for initial or subsequent therapy for members with CLL without del (17p)/TP53 mutation.

3. Non-Hodgkin's Lymphoma

- a. Indolent B-Cell Lymphomas



New Century Health

**POLICY #UM ONC_1215
PROPRIETARY & CONFIDENTIAL**

- i. In combination with rituximab for primary or subsequent therapy of any of the following:
 - A. Nodal Marginal Zone/Extra-Nodal Marginal Zone/Gastric MALT Lymphoma/Non-Gastric MALT Lymphoma/Splenic Marginal Zone Lymphoma
- b. Diffuse Large B-Cell Lymphoma
 - i. Second-line therapy for relapsed or refractory disease
- c. Mantle Cell Lymphoma
 - i. Initial or subsequent therapy in combination with rituximab

III. EXCLUSION CRITERIA

1. Off-label indications for Treanda/Bendeka/Belrapzo (bendamustine) in multiple myeloma, Waldenstrom's macroglobulemia, and Hodgkin's Lymphoma.
2. For members with CLL and 17pdeletion/TP53 mutation, consider an alternative regimen/agent.
3. Member has disease progression while on Treanda/Bendeka/Belrapzo (bendamustine).
4. Dosing exceeds single dose limit of Treanda/Bendeka/Belrapzo (bendamustine) 120 mg/m².
5. Treatment with Treanda/Bendeka/Belrapzo (bendamustine) exceeds the maximum duration limit of 8 cycles for NHL and 6 cycles for CLL.
6. Indications not supported by CMS recognized compendia or acceptable peer reviewed literature.

IV. MEDICATION MANAGEMENT

Please refer to the FDA label/package insert for details regarding these topics.

V. APPROVAL AUTHORITY

1. Review – Utilization Management Department
2. Final Approval – Utilization Management Committee

VI. ATTACHMENTS

None

VII. REFERENCES

1. Treanda/Bendeka/Belrapzo prescribing information. Cephalon, Inc. Frazer, PA. 2019.
2. Clinical Pharmacology Elsevier Gold Standard. 2020.
3. Micromedex® Healthcare Series: Thomson Micromedex, Greenwood Village, Co. 2020.
4. National Comprehensive Cancer Network. Cancer Guidelines and Drugs and Biologics Compendium. 2020.
5. AHFS Drug Information. American Society of Health-Systems Pharmacists or Wolters Kluwer Lexi-Drugs. Bethesda, MD. 2020.